MC-1 2 Group

- 240V 50Hz / 3000 4000W power requirement to drive 2 powerful elements for quick recovery in busy periods
- Better ergonomics with inclined filter holders.
- Simple and intuitive control panel.
- Newly designed portafilters and steam knobs.
- LED lighting guarantees maximum visibility of the working area.
- High group to accommodate Espresso and Latte cups.



Machine comes with high groups as standard. Customising available.





MC-1 3 Group

- 240V 50Hz / 5365W power requirement to drive
 3 powerful elements for quick recovery in busy periods
- Better ergonomics with inclined filter holders.
- Simple and intuitive control panel.
- Newly designed portafilters and steam knobs.
- LED lighting guarantees maximum visibility of the working area.
- High group to accommodate Espresso and Latte cups.




Machine comes with high groups as standard. Customising available.



MC-1 BARISTA PRO 2 Group

- 240V 50Hz / 3000 or 4000W power requirement to drive 2 powerful elements for quick recovery in busy periods
- Maximum hygiene: the Nanotech coating on the portafilter body, coffee spouts and steam wands ensures that no coffee or milk residues are left inside.Right-angled steam wand for fast and easy milk texturing. Lever on-off for ease of use
- LED lighting guarantees maximum visibility of the working area.
- Newly designed portafilters and steam knobs, available in highquality olive wood



Machine comes with high groups as standard. Customising available.





MC-1 BARISTA PRO 3 Group

- 240V 50Hz / 5365W power requirement to drive 3 powerful elements for quick recovery in busy periods
- Maximum hygiene: the Nanotech coating on the portafilter body, coffee spouts and steam wands ensures that no coffee or milk residues are left inside.Right-angled steam wand for fast and easy milk texturing. Lever on-off for ease of use
- LED lighting guarantees maximum visibility of the working area.
- Newly designed portafilters and steam knobs, available in highquality olive wood



Machine comes with high groups as standard. Customising available.



MC-E1 Group

- 240V 50Hz / 1920W power requirement to drive 1 powerful element for quick recovery in busy periods
- New technology specifically designed to reach the perfect temperature for each independent brewing group.
- Cleaning Cycle' easy to use cleaning at the touch of a button.
- High group to accommodate Espresso and Latte cups.
- Better ergonomics with inclined filter holders.
- Simple and intuitive control panel



Machine comes with high groups as standard. Customising available.



MC-E 2 Group

- 240V 50Hz / 3000 4000W power requirement to drive 1 powerful element for quick recovery in busy periods
- New technology specifically designed to reach the perfect temperature for each independent brewing group.
- 'Cleaning Cycle' easy to use cleaning at the touch of a button.
- High group to accommodate Espresso and Latte cups.
- Better ergonomics with inclined filter holders.
- Simple and intuitive control panel



Machine comes with high groups as standard. Customising available.

 Image: Second state sta

MC-E Compact

- 240V 50Hz / 2050 power requirement to drive 2 powerful elements for quick recovery in busy periods
- High group to accommodate Espresso and Latte cups.
- Versatility with removable cup stands.
- Better ergonomics with inclined filter holders.
- Simple and intuitive control panel.
- 'Cleaning Cycle' easy to use cleaning at the touch of a button.
- New technology specifically designed to reach the perfect temperature for each independent brewing group.



Machine comes with high groups as standard. Customising available.



MC-E PRO

- 240V 50Hz / 3000 4000W power requirement to drive 2 powerful elements for quick recovery in busy periods
- Intuitive display screen: Shot timer, Programmable pre-infusion times, Dispensed coffee counters, awitch on and stand by programming, Cleaning and maintenance programming.
- Better ergonomics with inclined filter holders.
- 'Cleaning Cycle' easy to use cleaning at the touch of a button.
- New technology specifically designed to reach the perfect temperature for each independent brewing group.



Machine comes with high groups as standard. Customising available.

 Image: Second state in the second s

